No.



9200217

THE UNITED STATES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Incob Hariz Seed Company, Inc.

Tothereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic pd of the variety in a public repository as provided by LAW, the right to excothers from selling the variety, or offering it for sale, or reproducing it, orting it, or exporting it, or using it in producing a hybrid or different therefrom, to the extent provided by the Plant Variety Protection Act 2, as amended, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'H8558'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 30th day of June in the year of our Lord one thousand nine hundred and ninety-five.

Par fallisteman

Auss.
Acting Thomas a Sal

Commissioner

Plant Variety Protection Office

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gasthering and maintaining the data needed, and completing and reviewing the collection of information. Send comments-regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, ORM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-005S), Washington, 20250.

FORM APPROVED: OMB 8581-005S, Expires 1/31/91

APPLICATION FOR PLANT VARI	RKETING SERVICE ETY PROTECTIO	N CERTIFICATE	Application is required in order a determine if a plant variety; protection certificate is to be issued (7 U.S.C. 2421 Intermation is held confidential unit certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR	
JACOB HARTZ SEED CO., INC.	.1,	H84-1107	H8558
ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) P.O. BOX: 946		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
STUTTGART, AR 72160		(503)	PVPO NUMBER
		(501)673-8565	9200217
	****	·	F Date
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Bolan	id.3 ica0	Time 19, 1992
GLYCINE MAX	LĘGUMINO	C F A	6 11:15 Han PM
B. CROP YAND MAME (Common Namo)		DATE OF DETERMINATION	F Filing and Examination Fur:
SOYBEAN	**	OVEMBER 1990	£ 2150 00
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORK	GANIZATION (Corporation, per	OVER 1990	S Date
CORPORATION		and association and	E Gune 19, 1992
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	las o	TE OF INCORPORATION	c Certificate Fee:
DELAWARE		1984	V Oste
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY,			5 May 26, 1995
STUTTGART, AR 72160 14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (6) a. X Exhibit A. Origin and Breeding History of the Variety b. X Exhibit B. Novelty Statement. c. X Exhibit C. Objective Description of Variety. d. Schibit C. Additional Description of Variety. e. X Exhibit E. Statement of the Basis of Applicant's Owners	thip,		
Seed Sample (2,500 viable untreated seeds). Date See	d Sample mailed to Plant V	ariety Protection Office 6-15	5-92
9 A Filing and Examination Fee (\$2,150) made payable to	Treasurer of the United Co.	des •	
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE S Protection Act.) YES (# "YES," answer items 16 and 17 at 16. DOES THE APPLICANTISS SPECIFY THAT THIS VARIETY OF 18	OLD BY VARIETY NAME ONLY	AS A CLASS OF CERTIFIED SEED? (SI 26 May 1995). " skip to item 18 below!	ee section 83(a) of the Plant Variety
16. DOES THE APPLICANTISI SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	17. IF TYES TO	STEM 16, WHICH CLASSES OF PRODU	CTION BEYOND BREEDER SEED?
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE V	—	NOATION REGIST	CERTIFIED
YES # "YES." through Plant Variety Protection Act	Patent Act. Give date		
19 HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR	MARKETED IN THE U.S. OR O	THER COUNTRIES?	
YES (II "YES," give names of countries and dates)			
20 The applicant(s) declare(s) that a viable sample of basic so request in accordance with such regulations as may be app	eeds of this variety will b	pe furnished with the application	on and will be replenished upon
The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle	sexually reproduced need to protection under the	P DOOVISIANS OF SECTION 47 AT LL - D	(s) that the variety is distinct.
that laise representation her	eın can jeopardize protec	ction and result in penalties.	-and variety i totalion all
SIGNATURE OF APPLICANT (O-neris)	CARACITY OF THE		DATE
Ciertis Williams	Director	and Chief Scientist	
SIGNATURE OF APPLICANT [Owner(s)]	Proprietory	Doybeans and Collon	June 15, 1992
- a (amounts))	CAPACITY OR TH	TLE *	DATE

EXHIBIT A ORIGIN AND BREEDING HISTORY

H8558

	ORIGINAL CROSS MADE AT STUTTGART, ARKANSAS. CROSS NUMBER WAS 80100 PARENTS = TRACY M X H76-1634
	H76-1634 = R70-733-0 X DAVIS R70-733-0 = UNKNOWN
SUMMER 1981	F1 ADVANCED TO F2 IN FIELD AT STUTTGART, AR.
SUMMER 1982	F2 ADVANCED TO F3 BY MODIFIED SINGLE SEED DESCENT AT STUTTGART, AR.
WINTER 1982-83	F3 AND F4 ADVANCED TO F5 BY MODIFIED SINGLE SEED DESCENT IN BELIZE, C.A.
SUMMER 1983	F5 GROWN AT STUTTGART, AR.
SUMMER 1984	F6 GROWN AT STUTTGART, AR., IN PLANT ROWS, SELECTED ROW DESIGNATED 1107.
230	YIELD TESTED IN HARTZ TESTS IN AR, LA, MS AND TX. SCREENED FOR DISEASE AND NEMATODES, STUTTGART, AR.
SUMMER 1990	GREW BREEDER SEED INCREASE, STUTTGART, AR.
SUMMER 1991	SEED GROWN BY CONTRACT GROWERS ONLY.

EVIDENCE OF STABILITY - H8558 is stable and uniform within commercially acceptable limits as indicated by observation of four years of disease screening trials, yield tests and seed increase plots.

KINDS OF VARIANTS - Purple flowering plants with tawny pubescence have been observed at a frequency of about 0.002% (6 seeds per pound). Purple flowering gray pubescent plants and white flowering plants with gray pubescence each occur in a frequency of about 0.001% (3 seed per pound), respectively.

EXHIBIT B

NOVELTY STATEMENT

To my knowledge 'H8558' most closely resembles 'HARTZ 8112'.

Differences include:

H8558 has resistance to stem canker and resistance to races 1-4, 7 and 19 of Phytophthora root rot while Hartz 8112 is susceptible to stem canker and to those races of Phytophthora root rot.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

EXHIBIT C

PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SUIDEA	AIV (GIYCINE MAX L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
JACOB HARTZ SEED CO., INC.	н84-1107	н8558	ega (m. 1945) er en er er er bestatet. Ge
CURTIS WILLIAMS		110000	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code P.O. BOX 946	e)		CIAL USE ONLY
STUTTGART , AR 72160	÷	PVPO NUMBER	
72100		92002	217
Choose the appropriate response which characterizes the vari	isty in the facture described l		
in your answer is fewer than the number of boxes provided,	place a zero in the first box w	ben number is 9 or 1	ess (e.g., 0 9).
Starred characters * are considered fundamental to an adequ	rate soybean variety description	n. Other characters	should be described
when information is available.			
1. SEED SHAPE:	•		
	ĬĬ		* ·
	*		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (* *	·
3 - Eddigae (E/17800) 1.2; 1/14 - (1.2)	4 = Elongate Flattened (I	./! ratio > 1.2; 1/W)	> 1.2)
C 2. SEED COAT COLOR: (Mature Seed)			
		Section 2	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	<u> </u>		
COLOR CONTENT. INSTANT HAIR SIGNAL SCOOL			
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	r'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
15 6			
Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			· · · · · · · · · · · · · · · · · · ·
6 1 = Buff 2 = Yellow 3 = Brown 4:	= Gray 5 = Imperfect Blac	k 6 ~ Black	7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
<u></u>			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
		•	
1 = Low 2 = High			
		·	
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP18) 2 = Type B (SP1b)	•	•	
9. HYPOCOTYL COLOR:			
1 & Grape only ("Supply (Onite")	•		
1 = Green only ('Evans'; 'Davis') 2 = Green with t 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')	bronze band below cotyledons (W	oodworth"; "Tracy")	
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	Oker Hampton 266A')		
10. LEAFLET SHAPE:			
[]	•		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		
·			

FORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete)

11. LEAFLET SIZE:	
2 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17 3 = Large ('Crawford'; 'Tracy')	
12. LEAF COLOR:	
2 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Bra 3 = Dark Green ('Gnome'; 'Tracy')	xton')
★ 13. FLOWER COLOR:	
1 = White 2 = Purple 3 = White with purple throat	
★ 14. POD COLOR:	
1 = Tan 2 = Brown 3 = Black	and the second of the second o
★ 15. PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')	
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATURITY GROUP:	
1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	7=IV 8=V
19. DISEASE REACTION: (Enter O - New Town of the Community of the Communit	
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACTERIAL DISEASES:	1811121
Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
* 0 Bacterial Blight (Pseudomonas glycinea)	July Contract
★ Wildfire (Pseudomonas tabaci)	H W The E
FUNGAL DISEASES:	Harry 100 F
→ []	Control of the second s
Brown Spot (Septoria glycines)	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Frogeye Leaf Spot (Cercospora sojina)	(ELLO)
Race 1 Race 2 Race 3 Race 4 Race 5	2 Other (Specify)
Target Spot (Corynespora cassiicola)	_RACE(S) UNDETERMINE
Downy Mildew (Peronospora trifoliorum yat, manshurica)	
Powdery Mildew (Microsphaera diffusa)	
Powdery Mildew (Microsphaera diffusa) Brown Stern Rot (Cephalosporium gregatum)	

19. 0	ISEASE REACTION	ON: (Enter 0 = No	t Tested; 1 = Suscept	tible; 2 = Resistant) (Co	ntinued)			_
1.20		SES: (Continued)					9200217	
*	O Pod and St	em Blight <i>(Diaport</i>)	he phaseolorum var:	sojael	44 ⁵			
	0 Purple Seed	i Stain <i>(Cercospora</i>	kikuchii)				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
·	0 Rhizoctoni	a Root Rot (Rhizo	ștonia solani)	et.			;	
	Phytophtho	ora Rot <i>(Phytophth</i>	ora megasperma var.	sojae)		The Committee of the Co	erie de la visa de la v La visa de la visa de l	
* *	2 Race 1	2 Race 2	2 Race 3	2 Race 4	0 Race 5	0 Race 6	2 Race 7	
	0 Race 8	0 Race 9	Other (Spe	ecify) 1 RACE 1	<u>6</u> : 2	RACE 19	nace /	
	VIRAL DISEASES	S :		en ann an Francisco (f. 1920). Tha ann an Airmean				
Ĺ	Bud Blight (Tobacco Ringspot	Virus)			er e		
	O Yellow Moss	ic (Bean Yellow M	osaic Virus)					
★ [0 Cowpea Mos	aic (Cowpea Chloro	otic Virus)					
	O Pod Mottle (Bean Pod Mottle V	irus) . į savas savas	and the second of the second o	Same and American		er to a system of	
★ ° [(Soybean Mosaic V			engen og det i 1993 Den og det i 1994 Agent og det i 1994 og det i 1994			
. N	EMATODE DISE	ASES:					······································	
	Soybean Cys	t Nematode (Hetero	Xlem alvrines					
* [O Race 1	0 Race 2	Race 3	1 Race 4 1	Other (Specify	, RACE !	9 RACE 14	
	Lance Nemat	ode (Hopiolaimus (Colombus)					
* [2 Southern Roc	ot Knot Nematode	(Meloidogyne incogn	iita)				
*	Northern Roc	t Knot Nematode ((Meloidogyne Hapla)					
	_		eloidogyne arenaria)					
	Reniform Nen	natode (Rotylenchi	ılus reniformis)					
	₹	ASE NOT ON FOR						
	-							_
20. PHYS	<u> \$</u>) = Not Tested; 1 = S	Susceptible; 2 = Resistant	Ú			
^ [_	Iron Chlorosis	on Calcareous Soil						
	Other (Specify	/	······································				_	
21. INSEC	CT REACTION: (Enter 0 = Not Test	ed; 1 = Susceptible; ;	2 = Resistant)				
<u>_</u>	Mexican Bean I	Beetle (Epilachna v	arivestis)		•			
	Potato Leaf Ho	pper (Empoasca fai	bae/					
	Other (Specify)	<u></u> .					· 	
22. INDIC	ATE WHICH VAR	HETY MOST CLO	SELY RESEMBLES	THAT SUBMITTED.				
	RACTER		OF VARIETY	CHARACT	ER	NAME OF	VARIETY	-
Plant S	hape			Seed Coat Lus	ster		V - 11 V 1 W F V	
Leaf Sh				Seed Size				_
Leaf Co		·		Seed Shape			,	
Leaf Siz	ze			Seedling Pigm	entation			
FORM LMGS	6-470-57 (6-83)							6
	10-00/			•			· · · · · · · · · · · · · · · · · · ·	

VARIETY	NO. OF	PLANT LODGING	CM PLANT HEIGHT	NOARD VARIETY: Paired C		SEED CONTENT		920(seed size	T
	MATURITY			CM Width	CM Length	% Protein	× oa	G/100 CEEDS	NO. SEEDS/ POD
8558 Submitted	156	1.6	89		·	44.2	20.2	15.2	202
ARTZ 8112 Similar Variety	154	1.2	84	2.1		43.8	20.9	15.3	2÷3 2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.
- * PROTEIN AND OIL WERE DETERMINED ON A TREBOR-99 COMPOSITION ANALYZER. PROTEIN VALUES ON THIS INSTRUMENT ARE HIGHER FOR COMMERCIALLY GROWN MATURITY GROUP V-VIII SOYBEAN VARIETIES THAN GENERALLY REPORTED



EXHIBIT E

H8558

BASIS OF APPLICANTS OWNERSHIP

Jacob Hartz Seed Company, Incorporated, Stuttgart, Arkansas established a Plant Breeding Program in 1972 for the purpose of developing, releasing, and maintaining stocks of soybean varieties developed by its Plant Breeding Program.

Dr. Curtis Williams, Plant Breeder, was licensed to breed soybeans by the Arkansas State Plant Board, December 9, 1977. Dr. Williams and co-workers developed and tested this variety in trials at Stuttgart, Arkansas, and outlying locations.

On April 23, 1983, Jacob Hartz Seed Company, Inc., was purchased by HybriTech Seed International, Inc., a wholly owned subsidiary of Monsanto, St. Louis, Missouri. Jacob Hartz Seed Company, Inc., was originally incorporated in 1948 in the state of Arkansas. In 1984 Jacob Hartz Seed Company, Inc., merged with the Monsanto-West Africa., Inc., a Delaware Corporation. Jacob Hartz Seed Company, Inc., is the present name of the merged corporation which is a Delaware corporation.

Dr. Curtis Williams is employed by Jacob Hartz Seed Company, Inc. By agreement between employee and Jacob Hartz Seed Company, Inc., all rights to any discovery, development or invention made by an employee are assigned to the company. No rights to the development of this variety are retained by the employee.